

**WATER
BASED
COATINGS**

Visual effect*

Suitable for
Paper / BoardCommercial /
Packaging printingLong (L) or
Short (S) Delivery

Properties

INLINE UNIVERSAL COATINGS
Single sided

Easycoat 1312 Highgloss	SG	P/B	C/P	L	High gloss and brilliance
Easycoat 1320 Highgloss	SG	P/B	C/P	L	Outstanding gloss and brilliance
Easycoat 1247 Gloss	G	B	P	L/S	Basic gloss coating for packaging printing

Double sided

W 1900 SW	HG	P/B	C	L	Fast drying, extended delivery recommended
Easycoat 2338 Highgloss	HG	P/B	C	L/S	Very fast drying speed for double sided application
Easycoat 2202 Gloss	G	P/B	C/P	L/S	Protection coating
Easycoat 2330 Gloss	G	P/B	C	L/S	High performance gloss for commercial printing
W 2003 Neutral	N	P/B	C/P	L/S	Invisible protection
W 725 Silk	S	P/B	C/P	L/S	Standard silk coating
Easycoat 2326 Silk	S	P/B	C/P	L/S	Improved flow especially for roller coaters
Easycoat W 720 Matt	M	P/B	C/P	L/S	Standard matt coating
Easycoat 2325 Matt	M	P/B	C/P	L/S	Improved flow especially for roller coaters
W 2056 Matt	M	P/B	C/P	L/S	High performance matt for commercial printing
Easycoat 2381 Extra Matt	EM	P/B	C/P	L/S	Extra matt coating

INLINE PRIMERS

Easycoat 2369 UV Primer	G	P/B	C/P	L	Special primer for UV inline / double coater
Easycoat 2377 UV Primer	G	P/B	C/P	L/S	Gloss primer for UV coatings and foil lamination
W 1988	G	P/B	C/P	L/S	Gloss primer with maximum adhesion
Easycoat 2368 UV Primer	N	P/B	C/P	L/S	Neutral primer for UV coatings and foil lamination
Easycoat 2336 UV Primer Matt	M	P/B	C/P	L/S	Matt primer for UV coatings and foil lamination

INLINE LOW MIGRATION

Easycoat LM 3240 Gloss	G	P/B	C/P	L/S	Proven low migration features, high wet block resistance
Easycoat LM 3245 Silk	S	P/B	C/P	L/S	Proven low migration features, high wet block resistance
Easycoat LM 3250 Matt	M	P/B	C/P	L/S	Proven low migration features, high wet block resistance

INK DUCT COATINGS

F-100 Gloss	G	P/B	C/P	L/S	Viscous highgloss coating for ink duct
F-600 Gloss	G	P/B	C/P	L/S	Pasty highgloss coating for ink duct
F-100 Silk	S	P/B	C/P	L/S	Viscous silk coating for ink duct
Impress 5000 Silk	S	P/B	C/P	L/S	Pasty silk coating for ink duct
F-100 Matt	M	P/B	C/P	L/S	Viscous matt coating for ink duct
Impress 5000 Matt	M	P/B	C/P	L/S	Pasty matt coating for ink duct

* SG = Super Gloss | HG = High Gloss | G = Gloss | N = Neutral | S = Silk | M = Matt | EM = Extra Matt

UV COATINGS

Visual effect*

Paper
Board
Foil

Inline over
conventional
inks + WB primer

Inline over
UV ink

In or Off-line

Properties

UNIVERSAL COATINGS

Easycoat UV 2347 Gloss	HG	P/B/F	•	•	I/O	Allround/Standard
Easycoat UV 1316 Gloss	HG	P/B/F		•	I/O	Narrow web application
Easycoat UV 2346 Gloss	HG	P/B		•	I/O	Low yellowing
Easycoat UV 2380 Gloss	HG	P/B	•	•	I/O	Glueable, suited for hot foil, for TwinSpot effect application
Easycoat UV 2383 Matt	M	P/B/F	•	•	I/O	Allround/Standard

INLINE LOW MIGRATION

Easycoat LM UV 3280 Gloss	HG	P/B	•	•	I/O	Proven low migration features
---------------------------	----	-----	---	---	-----	-------------------------------

INK DUCT COATINGS

UV 400 G	HG	P/B/F		•	I/O	Viscous, not for normal offset plate application
----------	----	-------	--	---	-----	--

OIL BASED COATINGS

FO-260 TwinSpot	Oil based primer, giving a structured matt effect in combination with a TwinSpot-compatible UV gloss coating.					
-----------------	---	--	--	--	--	--

* HG = High Gloss | G = Gloss | M = Matt

WASHES

Conventional ink

UV ink

Hybride ink

Flashpoint (°C)

Properties

SUITED FOR NBR

Not water miscible						
Rotowash 100-5104	•			100	Suited for filtration	
Water miscible						
Rotowash 40	•			45	Fast drying	
Rotowash 60-1010	•			64	Manual and automatic cleaning	
Rotowash 100-1480	•			100	For automatic washing systems	
Rotowash 60-1020	•			63	Especially suited for brush automatic blanket washing systems	
Hydrowash	•			42	Fast drying, for manual use	
UV Wash 1068	•	•		68	Manual and automatic use	

SUITED FOR EPDM

Water miscible						
UV Wash 1860		•		68	Medium drying	
UV Wash 1076	•	•	•	76	Suitable for all roller types	
UV Wash 2001	•	•		96	For unbaked and process less printing plates, suited for NBR and EPDM	
UV Wash 1820		•		36	Fast drying	

FOUNTS

Dosage (%)
Conventional ink
UV /hybride ink
Continuous forms
Properties

WITH IPA

Acedin D 1991	2-3	•	•	•	For all dampening systems
---------------	-----	---	---	---	---------------------------

IPA-FREE

Acedin Plano 4105	3-4	•	•		Especially suited for metallic inks
Acedin Plano 4104 ECOdry	3-4	•		•	Contains cobalt-free drying agent
Acedin D 1989	3-4	•	•	•	Suitable for all water qualities
Acedin Plano 4112	3-4	•	•		For medium to hard water, reduced ink feed back

SPRAY POWDERS

Paper weight

Recommended for
use with coating

UNCOATED

Powder 100 ECOspray	< 150 g	
Powder 300 ECOspray	125 g - 250 g	
Powder 500 ECOspray	> 250 g	

COATED

Powder 4020 B ECOspray	< 150 g	•
Powder 4030 B ECOspray	125 g - 250 g	•
Powder 4050 B ECOspray	> 250 g	•

All our spray powders are approved by the German 'Berufsgenossenschaft' (Printers Association)



GLUES

Visc. (mPas)

Main glue systems

PACKAGING

Folding boxes

Easyglue 6300	3,100	HHS MMDD serie; Robatech ECX 100 serie; Glue disc or cliché
Easyglue 4350-5	2,200	HHS MMDD serie; Robatech ECX 100 serie; Glue disc or cliché
Easyglue 6365	3,800	HHS MMDD serie; Robatech ECX 100 serie; Glue disc or cliché
Easyglue 6362	800	HHS Dgun/Pgun; Robatech ECXM serie; Nordson LA 280

Lamination glue

Easyglue 6396	2,000	Lamina or Tünkers
---------------	-------	---------------------------------

Window patching

Easyglue 6366	1,300	Roller and cliché systems
---------------	-------	---------------------------

BOOK BINDING

Spine glue

Easyglue H 1763	4,500*	Kolbus, Heidelberg, Müller martini binding line and similar
Easyglue H 1795	5,000*	Kolbus, Heidelberg, Müller martini binding line and similar
Easyglue 2069 T	12,000	Kolbus, Heidelberg, Müller martini binding line and similar

Side glue

Easyglue H 1765	2,000*	Kolbus, Heidelberg, Müller martini binding line and similar
-----------------	--------	---

Casemaking

Easyglue 3212	2,700**	Kolbus, Hörauf or similar
---------------	---------	---------------------------

Casing-in

Easyglue 8606	3,000	Kolbus, Vbf, Müller martini and similar
---------------	-------	---

Paddingglue

Easyglue 2066 A	10,000	Roller systems or manually
-----------------	--------	----------------------------

* Viscosity at 160°C | ** Viscosity at 60°C

PRINTERS PARTNER WORLDWIDE

Check out the available DS products and
their specifications on www.fujifilm.eu/ds

FUJIFILM Europe NV
marketing_feb@fujifilm.eu
www.fujifilm.eu/ds



Specifications are subject to change without notice. The FUJIFILM name and logo, the DS name and logo are trademarks of FUJIFILM Corporation. All other trademarks shown are trademarks of their respective owners. All rights reserved.

AUXILIARIES

Properties

PLATE CARE PRODUCTS

Alunet	Plate cleaner - mild
Renal	Plate cleaner - strong
Gummin	Universal gum - natural

INK AUXILIARIES

Antiskin	Anti-skin for oxidative drying inks
Colorstart Spray	Ink refresher
Grafo Drier Extra	Drying additive
Lithostabil	Improved water/ink balance (esp. with low ink coverage)
Grafo Gel	Tack reducing ink additive

FOUNT AUXILIARIES

Anti Foam	Anti Foam for the ready mixed fountain solution
Systemcleaner 1397	Cleaning concentrate for the dampening water circuit
ECOdry	Cobalt-free drying stimulator, to be mixed with the fount
Fount Control	Monitoring kit for the fountain concentration
IPAFix	Substitute for isopropylalcohol, VOC reduction
Condisal HP	Rehardener for RO water
Dampwash	Degreasing cleaner for the dampening rollers

COATING AUXILIARIES

Varnish Remover	Mild effective cleaner for water based coatings
Anilox Cleaning Gel	Anilox cleaner for removing dried water based coating residues
Varnish Retarder	Start up aid and retarder for water based ink duct coatings

CLEANING AUXILIARIES

Cylinder Wash	Protective cleaner for impression cylinders and other metal parts
Revival Gel	Glaze remover for rollers and blankets
Novogum Extra	Rubber rejuvenator for rollers and blankets
Grafopur	Skin-friendly hand cleaner
Multiclean 4	Powerful cleaner for dried ink residues
Rolfin Spezial	Ink roller cleaning paste
Omnicleaner	Multipurpose Cleaner

SPECIALITY CHEMICALS

Antistat Liquid	Antistatic liquid for machine parts
Idle Roller Oil	Protection oil for rollers running idle
Roller Paste	Protection paste for rollers when running idle
Water Leveller 2005	Protective additive for water used in automatic cleaning devices
Formasil Spray	Universal silicone spray
Safocor 75	Corrosion protective oil for all press parts
Multiwash	Fast evaporating cleaner for glue residues

Check out the available DS products and their specifications on www.fujifilm.eu/ds

FUJIFILM Europe NV
marketing_feb@fujifilm.eu
www.fujifilm.eu/ds



Specifications are subject to change without notice. The FUJIFILM name and logo, the DS name and logo are trademarks of FUJIFILM Corporation. All other trademarks shown are trademarks of their respective owners. All rights reserved.